

# Data Sheet



Brackish Water Reverse Osmosis (RO) Membranes

#### **LG BW 2540 ES**

**Energy Saving** 

#### **Overview**


LG Chem's NanoH2O™ brackish water RO membranes serve various municipal, industrial and commercial applications. Incorporating LG Chem's proprietary Thin Film Nanocomposite (TFN) technology, all LG BWRO membranes deliver reliable and superior performance with intrinsic anti-fouling properties.

LG BW 2540 ES produces high permeability at low feed pressure, significantly reducing operating costs. Ideal for commercial applications with feed water sources with low to medium salinity brackish water.

### **Product Specifications**

Active Membrane	Permeate Flow	Stabilized Salt	Minimum Salt	Feed Spacer,
Area, ft² (m²)	Rate, GPD (m³/d)	Rejection, %	Rejection, %	Mil
22 (2.0)	750 (2.8)	99.5	99.2	28

Test Conditions: 2,000 ppm NaCl at 25°C (77°F), 150 psi (10.3 bar), pH 7, Recovery 15%. Permeate flows for individual elements may vary +/-20%.



A,	B,	C,	D,	Weight
mm (in.)	mm (in.)	mm (in.)	mm (in.)	kg (lbs.)
1,016	60	19	32	1.9
(40)	(2.4)	(0.75)	(1.3)	(4.2)

All dimensional information is indicative and for reference purpose only. Please contact LG Chem for detailed technical specification.

## **Operating Specifications**

For more information and operating guidelines, visit www.lgwatersolutions.com

Max. Applied pressure	600 psi (41 bar)
Max. Chlorine concentration	< 0.1 ppm
Max. Operating temperature	45°C (113°F)
pH Range, Continuous (Cleaning)	2-11 (2-12)
Max. Feedwater turbidity	1.0 NTU
Max. Feedwater SDI (15 mins)	5.0
Max. Feed flow	6 gpm (1.4 m <sup>3</sup> /h)
Max. Pressure drop (ΔP) for each element	15 psi (1.0 bar)

The Membrane Elements performance is expressly conditioned on Buyer's storing, installing, operating, and maintaining Product in accordance with industry-accepted good practices and Seller's written instructions provided in the Seller's Technical Manual, which consists of LG Chem, Ltd <u>Technical Service Bulletins ("TSB")</u> and <u>Technical Applications Bulletins ("TAB")</u> and may be viewed and downloaded at <u>www.lgwatersolutions.com</u>.

The information and data contained herein are deemed to be accurate and reliable and are offered in good faith, but without guarantee of performance. LG Chem assumes no liability for results obtained or damages incurred through the application of the information contained herein. Customer is responsible for determining whether the products and information presented herein are appropriate for the customer's use and for ensuring that customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Specifications subject to change without notice. NanoH<sub>2</sub>O is the Trademark of The LG Water Solutions or an affiliated company of LG Chem. All rights reserved. © LG Chem, Ltd.